



PLANET 775 ATEX CE EX II 3D Ex t IIIB T135°C Dc IP55

EXCLUSIVE FEATURES

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART
- ▶ MANUAL FILTER SHAKER
- ▶ TANGENTIAL OR METAL INLET
- ▶ MULTI STAGE FILTRATION
- ▶ BIG AND BRAKED WHEELS
- ▶ INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK
- ▶ TANGENTIAL INLET AND CONVEYOR CONE
- ▶ STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE
- ▶ VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR
- ▶ LONG LASTING TURBINE WITH PERFECT PERFORMANCE
- ▶ EXPLOSION PROOF TURBINE AND DESIGN FOR ATEX ZONE 22
- ▶ CONDUCTIVE WHEELS WITH BRAKES
- ▶ STATIC DISSIPATING FILTERS
- ▶ PCB PREFILTER & ADDITIONAL CARTRIDGE
- ▶ GROUNDING SYSTEM

PLANET 775 ATEX
ASID00507

Code		PLANET 775 ATEX
TECHNICAL DATA		
Usage		DRY
Number of phases		3 phases
Voltage/Frequency	V/Hz	400/50
Turbine		1 single stage
Power	W	7500
Water lift	mmH ₂ O	2700
Airflow	m ³ /h	700
Tank Capacity/Material	l	100
Diameter of inlet	mm	70
Sound Pressure Level	dB(A)	76
Dimensions (LxWxH)	mm	670x1400x1960
Weight	Kg	265

STANDARD EQUIPMENT

CODE: KTRI04591
CONDUCTIVE
FILTERING KIT



CODE: FTDP00568
CONDUCTIVE POLY
CARTRIDGE



OPTIONAL ACCESSORIES

Anti-Static tool kit Ø50-70 mm	PMDT00426
Stainless steel float kit to recovery liquid (for Planet 100 lt)	KTRI03124
Reusable conductive bag ATEX (for Planet 100 lt)	KTRI03175
Poly liner retainer plate with clip (for conductive bag)	PVVR00419
High reach cleaning ATEX	AVAILABLE
Hepa cartridge kit 40.000 cm ²	FTDP00569